




BMES®

MÜHENDİSLİK VE DIŞ TİCARET

ALUMINIUM PİPES

   /bmesmuhendislik
www.bmes.com.tr

Alüminyum Borular



BORULAR (Pipes)


Dikişli ve Dikişsiz
(Seamless and Seam Welded)

Standart (Norm)

ASME SB 241- ASME SB 210
ANSI B. 36.19 - B. 36.10
EN 573-2, 755,2-7

Boyutlar (Size) mm Çap / Kalınlık (Diameter) / (Thickness)	Ağırlık (Weight) Kg/M	Al99,5 / 99,8	AlMgSi0,5 - Si0,7 AA 6060/63	AlMgSi1 AA 6082	AlMg3 AA 5754	AlMg5	AlMg4,5mN AA 5083 / AA 5154
5 x 1	0,03	*	*				
6 x 1	0,04	*	*				
8 x 1	0,06	*	*				
8 x 1,5	0,08		*		*		
9 x 1	0,07		*				
10 x x1	0,08	*	*				
10 x 1,5	0,11		*				
10 x 2	0,14		*	*			
10 x 3	0,18		*				
12 x 1	0,09	*	*				
12 x 1,5	0,13		*				
12 x 2	0,17		*	*			
12 x 3	0,23		*				
13 x 1	0,10		*				
13 x 1,5	0,15		*				
13 x 2	0,19		*				
13 x 3	0,26		*	*			
13,75 x 1,65 Sched10	0,17						*
13,75 x 2,24 Sched40	0,22						*
13,75 x 3,02 Sched80	0,28						*
14 x 1	0,11		*				
14 x 1,5	0,16			*			
14 x 2	0,26		*				
14 x 2,5	0,11		*	*			
15 x 1	0,16	*	*		*		
15 x 1,5	0,21	*	*	*			
15 x 2	0,24		*		*		
16 x 1	0,12	*	*				
16 x 1,5	0,17		*				
16 x 2	0,23		*				
16 x 3	0,13		*				
17,15 x 1,65 Sched10	0,18						*
17,15 x 2,31 Sched40	0,24						*
17,15 x 3,20 Sched80	0,33						*
18 x 1	0,14		*				
18 x 1,5	0,21		*				
18 x 2	0,27	*	*	*	*		

Alüminyum Borular



BORULAR (Pipes)


Dikişli ve Dikişsiz
(Seamless and Seam Welded)

Standart (Norm)

ASME SB 241- ASME SB 210
ANSI B. 36.19 - B. 36.10
EN 573-2, 755,2-7

Boyutlar (Size) mm Çap / Kalınlık (Diameter) / (Thickness)	Ağırlık (Weight) Kg/M	Al99,5 / 99,8	IMgSi0,5 - Si0,7 AA 6060/63	AlMgSi1 AA 6082	AlMg3 AA 5754	AlMg5	AlMg4,5mN AA 5083 / AA 5154
18 x 3	0,38		*				
19 x 1	0,15		*				
19 x 1,5	0,22		*				
19 x 2	0,29		*				
20 x 1	0,16		*			*	
20 x 1,5	0,24		*	*			
20 x 2	0,31	*	*		*		
20 x 2,5	0,37		*		*		
20 x 3	0,43	*	*		*		
20 x 4	0,54		*	*			
20 x 5	0,64		*	*			
21 x 3	0,46				*		
21,34 x 1,65 Sched5	0,28						*
21,34 x 2,11 Sched10	0,35						*
21,34 x 2,77 Sched40	0,44						*
21,34 x 3,91 Sched80	0,56						*
22 x 1	0,18	*	*				
22 x 1,5	0,26		*		*		
22 x 2	0,34		*	*			
22 x 2,5	0,41		*				
22 x 3	0,48		*				
24 x 2	0,37		*				
24 x 3	0,54					*	
25 x 1	0,20	*	*	*			
25 x 1,5	0,30	*	*		*		
25 x 2	0,39		*	*			*
25 x 2,5	0,48		*		*		
25 x 3	0,56		*				
25 x 3,5	0,64		*				
25 x 4	0,71		*				
25 x 5	0,84		*	*	*		
26 x 2	0,41		*	*	*		
26 x 3	0,59		*				
26,67 x 1,65 Sched5	0,34						*
26,67 x 2,11 Sched10	0,45						*
26,67 x 2,87 Sched40	0,58						*
26,67 x 3,91 Sched80	0,76						*

Alüminyum Borular



BORULAR (Pipes)


Dikişli ve Dikişsiz
(Seamless and Seam Welded)

Standart (Norm)

ASME SB 241- ASME SB 210
ANSI B. 36.19 - B. 36.10
EN 573-2, 755,2-7

Boyutlar (Size) mm Çap / Kalınlık (Diameter) / (Thickness)	Ağırlık (Weigth) Kg/M	Al99,5 / 99,8	IMgSi0.5 - Si0,7 AA 6060/63	AlMgSi1 AA 6082	AlMg3 AA 5754	AlMg5	AlMg4,5mN AA 5083 / AA 5154
28 x 1	0,23	*	*	*			
28 x 1,5	0,34		*	*			
28 x 2	0,44		*	*	*		
28 x 2,5	0,54		*	*			
28 x 3	0,64		*	*			
28 x 4	0,81			*			
28 x 5	0,98			*		*	
28 x 6	1,12					*	
30 x 1	0,25			*			
30 x 1,5	0,36			*			
30 x 2	0,48		*	*			
30 x 2,5	0,58		*		*		
30 x 3	0,96		*	*			
30 x 4	0,88		*				*
30 x 5	1,06		*	*	*		
30 x 6	1,22			*			
30 x 7,5	1,43		*				
31 x 3	0,71	*			*		
32 x 1	0,26		*				
32 x 1,5	0,39		*		*		
32 x 2	0,51		*				
32 x 3	0,79		*				
32 x 4	0,95	*					
33 x 4	0,98		*				
33,40 x 1,65 Sched5	0,45						*
33,40 x 2,77 Sched10	0,73						*
33,40 x 3,38 Sched40	0,87						*
33,40 x 4,55 Sched80	1,12						*
34 x 4	1,02		*				
35 x 1,5	0,43	*	*		*		
35 x 2	0,56		*		*		
35 x 2,5	0,70		*				
35 x 3	0,82		*		*		
35 x 4	1,08		*	*			
35 x 5	1,30		*	*	*		
35 x 7,5	1,75		*				
35 x 8	1,80					*	

Alüminyum Borular



BORULAR (Pipes)


Dikişli ve Dikişsiz
(Seamless and Seam Welded)

Standart (Norm)

ASME SB 241- ASME SB 210
ANSI B. 36.19 - B. 36.10
EN 573-2, 755,2-7

Boyutlar (Size) mm Çap / Kalınlık (Diameter) / (Thickness)	Ağırlık (Weight) Kg/M	Al99,5 / 99,8	AlMgSi0,5 - Si07 AA 6060/63	AlMgSi1 AA 6082	AlMg3 AA 5754	AlMg5	AlMg4,5mN AA 5083 / AA 5154
35 x 10	2,12		*				
36 x 1	0,30		*				
36 x 3	0,84		*				
36 x 4	1,09		*				
38 x 2	0,61		*				
38 x 3	0,89	*		*	*		
38 x 4	1,15		*	*			
38 x 5	1,40		*			*	
38 x 8	2,04					*	
40 x 1	0,33		*				
40 x 1,5	0,49		*				
40 x 2	0,66		*	*	*		
40 x 2,5	0,80		*	*			
40 x 3	0,94		*				
40 x 4	1,22		*				*
40 x 5	1,49		*	*	*		
40 x 6	1,77		*				
40 x 8	2,18			*		*	
40 x 10	2,54		*	*			
42 x 1	0,35		*				
42 x 2	0,68		*				
42 x 3	0,99		*		*		
42 x 5	1,57	*	*	*			
42,16 x 1,65 Sched5	0,57						*
42,16 x 2,77 Sched10							*
42,16 x 3,56 Sched40							*
42,16 x 4,85 Sched80							*
45 x 10	3,02		*	*			
45 x 12,5	3,45			*			
46 x 3	1,10	*			*		
47 x 1	0,39		*				
47 x 2	0,76		*				
48 x 2,5	0,97	*					
48 x 3	1,15		*				
48 x 4	1,49		*				
50 x 1	0,42		*				
50 x 1,5	0,62		*				

Alüminyum Borular



BORULAR (Pipes)


Dikişli ve Dikişsiz
(Seamless and Seam Welded)

Standart (Norm)

ASME SB 241- ASME SB 210
ANSI B. 36.19 - B. 36.10
EN 573-2, 755,2-7

Boyutlar (Size) mm Çap / Kalınlık (Diameter) / (Thickness)	Ağırlık (Weigth) Kg/M	Al99,5 / 99,8	AlMgSi0,5 - Si07 AA 6060/63	AlMgSi1 AA 6082	AlMg3 AA 5754	AlMg5	AlMg4,5Mn AA 5083 / AA 5154
50 x 2	0,81		*		*		
50 x 2,5	1,01	*	*		*		
50 x 3	1,20		*				
50 x 3,5	1,38		*				
50 x 4	1,59		*				*
50 x 5	1,91		*		*		*
50 x 6	2,28		*		*		
50 x 8	2,90		*	*			
50 x 10	3,46		*	*			
50 x 12,5	3,98		*				
50 x 15	4,53			*			
54 x 1,5	0,67		*				
54 x 2,0	0,88		*				
54 x 4	1,59		*				
55 x 2,5	1,11	*	*				
55 x 5	2,20		*				
55 x 8	3,19		*				
55 x 10	3,89		*				
56 x 3	1,35	*	*		*		
60 x 1	0,50	*	*				
60 x 1,5	0,74		*				
60 x 2	0,98		*				
60 x 2,5	1,22		*		*		
60 x 3	1,45	*	*				
60 x 4	1,93		*				*
60 x 5	2,33	*	*	*	*		*
60 x 6	2,80		*				*
60 x 8	3,59		*	*			*
60 x 10	4,32		*				
60 x 12	4,88			*			
60 x 15	5,72		*	*			
60,33 x 1,65 Sched5	0,83						*
60,33 x 2,77 Sched10	1,36						*
60,33 x 3,91 Sched40	1,89						*
60,33 x 5,54 sched80	2,59						*
63 x 3	1,53						*
63 x 5	2,46		*				

Alüminyum Borular



BORULAR (Pipes)


Dikişli ve Dikişsiz
(Seamless and Seam Welded)

Standart (Norm)

ASME SB 241- ASME SB 210
ANSI B. 36.19 - B. 36.10
EN 573-2, 755,2-7

Boyutlar (Size) mm Çap / Kalınlık (Diameter) / (Thickness)	Ağırlık (Weigth) Kg/M	Al99,5 / 99,8	AlMgSi0,5 - Si07 AA 6060/63	AlMgSi1 AA 6082	AlMg3 AA 5754	AlMg5	AlMg4,5mN AA 5083 / AA 5154
63 x 10	4,50		*	*	*		
63 x 15	6,10			*			
65 x 1,5	0,81		*				
65 x 2,5	1,33		*				
65 x 5	2,55		*				
65 x 10	4,75		*				*
65 x 15	6,36			*			
70 x 2	1,15		*				
70 x 2,5	1,43		*				
70 x 3	1,71		*				
70 x 4	2,28		*		*		
70 x 5	2,76		*	*	*		
70 x 6	3,32	*					
70 x 8	4,21			*			
70 x 10	5,18		*	*	*		
70 x 15	7,12		*	*			
70 x 20	8,98		*	*			
71 x 3	1,82				*		
75 x 2,5	1,54		*				
75 x 5	2,97		*				*
75 x 10	5,61		*	*			
75 x 11	5,95			*			
76 x 3	1,86	*	*		*		
76 x 4	2,44						*
80 x 1	0,67		*		*		
80 x 2	1,32	*	*	*			
80 x 2,5	1,63		*	*	*		
80 x 3	1,96		*				
80 x 4	2,63		*				
80 x 5	3,19		*	*	*		
80 x 6	3,83		*				
80 x 8	4,97		*	*			
80 x 10	6,05		*	*	*		
80 x 12,5	7,15			*			
80 x 15	8,42		*	*			
80 x 20	10,56		*	*			
84 x 2	1,39		*				

Alüminyum Borular



BORULAR (Pipes)


Dikişli ve Dikişsiz
(Seamless and Seam Welded)

Standart (Norm)

ASME SB 241- ASME SB 210
ANSI B. 36.19 - B. 36.10
EN 573-2, 755,2-7

Boyutlar (Size) mm Çap / Kalınlık (Diameter) / (Thickness)	Ağırlık (Weight) Kg/M	Al99,5 / 99,8	AlMgSi0,5 - Si07 AA 6060/63	AlMgSi1 AA 6082	AlMg3 AA 5754	AlMg5	AlMg4,5mn AA 5083 / AA 5154
85 x 2,5	1,75		*				
85 x 3	2,09		*				
85 x 5	3,39		*				
85 x 6	4,09			SiPb			
85 x 10	6,48		*				
85 x 15	8,90			*			
85 x 20	11,02			*			
86 x 3	2,11	*	*		*		
88,9 x 2,11 Sched5	1,56						*
88,9 x 3,05 Sched10	2,23						*
88,9 x 4	2,88	*					
88,9 x 5,49 Sched40	3,90						*
88,9 x 7,62 Sched80	5,28						*
90 x 2	1,49		*		*		
90 x 2,5	1,86		*		*		
90 x 3	2,21		*				
90 x 4	2,97				*		
90 x 5	3,67	*	*		*		*
90 x 8	6,26						*
90 x 10	6,90		*				
90 x 15	9,71		*	*			
90 x 20	12,31			*			
90 x 25	13,78		*	*			
95 x 2,5	1,96		*				
95 x 7,5	5,56		*				
95 x 10	7,06		*				
95 x 11	7,83			*			
100 x 2	1,66	*	*				
100 x 2,5	2,07		*				
100 x 3	2,46		*				
100 x 4	2,46		*		*		
100 x 5	4,10	*	*		*		
100 x 6	4,78			*			
100 x 8	6,26		*				
100 x 10	7,77		*	*			
100 x 12,5	9,27		*				
100 x 15	11,08		*				

Alüminyum Borular



BORULAR (Pipes)


Dikişli ve Dikişsiz
(Seamless and Seam Welded)

Standart (Norm)

ASME SB 241- ASME SB 210
ANSI B. 36.19 - B. 36.10
EN 573-2, 755,2-7

Boyutlar (Size) mm Çap / Kalınlık (Diameter) / (Thickness)	Ağırlık (Weight) Kg/M	Al99,5 / 99,8	AlMgSi0,5 - Si07 AA 6060/63	AlMgSi1 AA 6082	AlMg3 AA 5754	AlMg5	AlMg4,5Mn AA 5083 / AA 5154
100 x 25	15,90		*	*			
100 x 30	17,81			*			
101,6 x 2,11 Sched5	1,79						*
101,6 x 3,05 Sched10	2,56						*
101,6 x 5,74 Sched40	4,69						*
101,6 x 8,08 Sched80	6,44						*
105 x 5	4,25		*				
105 x 10	8,06		*				
105 x 12,5	9,80		*	*			
105 x 15	11,45		*				
106 x 3	2,62	*	*	*	*		
108 x 3	2,67		*				
108 x 4	3,53	*	*		*		
110 x 3	2,72		*				
110 x 5	4,46	*	*	*			
110 x 8	6,92					*	
110 x 10	8,48		*	*			
110 x 15	12,30		*				
110 x 20	15,26		*				
110 x 25	18,02		*	*			
112 x 15	12,34			*			
114 x 3	2,82				*		
114,3 x 2,11 Sched5	2,02						*
114,3 x 3,05 Sched10	2,90						*
114,3 x 6,02 Sched40	5,56						*
114,3 x 8,56 Sched80	7,72						*
115 x 6	5,60		*				
115 x 10	8,90			*			
120 x 2	2,00	*	*	*			
120 x 3	2,40		*				
120 x 4	3,94			*			
120 x 5	4,96		*				
120 x 6	5,91	*					
120 x 8	7,74		*	*			
120 x 10	9,33		*	*			*
120 x 12,5	11,39		*	*			
120 x 15	13,60		*	*			

Alüminyum Borular



BORULAR (Pipes)

Dikişli ve Dikişsiz
(Seamless and Seam Welded)

Standart (Norm)


ASME SB 241- ASME SB 210
ANSI B. 36.19 - B. 36.10
EN 573-2, 755,2-7

Boyutlar (Size) mm Çap / Kalınlık (Diameter) / (Thickness)		Ağırlık (Weigh) Kg/M	Al99,5 / 99,8	AlMgSi0,5 - Si07 AA 6060/63	AlMgSi1 AA 6082	AlMg3 AA 5754	AlMg5	AlMg4,5mN AA 5083 / AA 5154
120 x 20		17,00		*	*			
120 x 25		20,14		*				
125 x 3		3,11		*				
125 x 5		5,09			*			
125 x 10		9,93		*	*			
125 x 12,5		12,41			*			
125 x 15		13,99		*				
127 x 23,5		20,62			*			
130 x 3		3,23		*				
130 x 5		5,40		*	*			
130 x 7,5		7,81		*				
130 x 10		10,18		*	*			
130 x 15		14,66		*	*			
130 x 20		18,65		*	*			
131 x 3		3,26	*			*		
133 x 3		3,32		*				
133 x 4		4,38	*			*		
135 x 5		5,32		*				
135 x 10		10,60		*	*			
135 x 20		19,50		*				
140 x 3		3,45			*			
140 x 5		5,37		*				
140 x 10		11,02		*	*			
140 x 12		13,02		*				
140 x 15		15,94		*	*			
140 x 20		21,14		*				
140 x 25		24,38		*				
140 x 30		28,05		*				
141 x 3		3,51		*				
141,3 x 2,77 Sched5		3,27						*
141,3 x 3,40 Sched10		4,00						*
141,3 x 6,55 Sched40		7,53						*
141,3 x 9,53 Sched80		10,70						*
144 x 6		7,02		*				
150 x 3		3,74	*	*		*		
150 x 5		6,26		*	*			
150 x 7,5		9,07		*				



BMES®
MÜHENDİSLİK VE DİŞ TİCARET

Alüminyum Borular



BORULAR (Pipes)


Dikişli ve Dikişsiz
(Seamless and Seam Welded)

Standart (Norm)

ASME SB 241- ASME SB 210
ANSI B. 36.19 - B. 36.10
EN 573-2, 755,2-7

Boyutlar (Size) mm Çap / Kalınlık (Diameter) / (Thickness)	Ağırlık (Weigth) Kg/M	Al99,5 / 99,8	AlMgSi0,5 - Si07 AA 6060/63	AlMgSi1 AA 6082	AlMg3 AA 5754	AlMg5	AlMg4,5mn AA 5083 / AA 5154
150 x 8	9,64		*				*
150 x 10	12,09		*	*			
150 x 15	17,48		*				
150 x 20	22,05		*				
150 x 25	27,51		*				
156 x 3	3,09		*	*	*		
159 x 4,5	5,90	*			*		
160 x 3	4,00				*		
160 x 5	6,69		*		*		
160 x 6	7,84		*				
160 x 8	10,32		*				*
160 x 10	12,95		*	*			
160 x 15	18,49		*	*			
160 x 20	23,80		*				
160 x 30	34,90		*				
160 x 35	37,09			*			
164 x 7	9,14		*				
168 x 4	5,56				*		
168,3 x 2,71 Sched5	3,91						*
168,3 x 3,40 Sched10	4,79						*
168,3 x 4	5,58					*	
168,3 x 7,11 Sched40	9,77						*
168,3 x 10,97 Sched80	14,71						*
170 x 5	7,00		*	*			
170 x 10	13,82		*	*			
170 x 12,5	16,69		*				
170 x 15	19,76		*	*			
170 x 20	25,50		*				
175 x 5	7,23		*				
180 x 5	7,42		*	*			
180 x 6	8,86		*	*			
180 x 10	14,41		*	*			
180 x 12,5	18,13			*			
180 x 15	21,37		*	*			
180 x 20	27,20		*				
180 x 30	38,15		*	*			
180 x 40	47,48			*			

Alüminyum Borular



BORULAR (Pipes)


Dikişli ve Dikişsiz
(Seamless and Seam Welded)

Standart (Norm)

ASME SB 241- ASME SB 210
ANSI B. 36.19 - B. 36.10
EN 573-2, 755,2-7

Boyutlar (Size) mm Çap / Kalınlık (Diameter) / (Thickness)	Ağırlık (Weigth) Kg/M	Al99,5 / 99,8	AlMgSi0,5 - Si07 AA 6060/63	AlMgSi1 AA 6082	AlMg3 AA 5754	AlMg5	AlMg4,5mn AA 5083 / AA 5154
185 x 10	14,84		*				
190 x 6	9,36		*	*			
190 x 10	15,27		*	*			
194 x 5	8,01		*				
200 x 4	6,65		*	*			
200 x 5	8,27		*	*			
200 x 6	9,87		*	*			
200 x 8	13,03		*	*			
200 x 10	16,40		*	*			
200 x 12,5	19,87		*				
200 x 15	23,53		*	*			
200 x 20	30,60		*	*			
200 x 25	37,19		*	*			
200 x 30	42,68		*	*			
200 x 40	54,26		*	*			
208 x 4	7,20	*	*		*		
210 x 6	10,40		*	*			
210 x 10	16,97		*	*			
210 x 15	23,53		*	*			
210 x 20	32,22		*	*			
219 x 2,77 Sched5	5,10						*
219 x 3,76 sched10	6,90						*
219 x 6,35 Sched20	11,50						*
219 x 7,04 Sched30	12,72						*
219 x 8,18 Sched40	14,70						*
219 x 12,70 Sched80 C	22,00						*
219,1 x 5	9,08	*			*		
220 x 8	14,38			*			
220 x 10	17,81		*	*			
220 x 15	26,07		*	*			
220 x 20	33,91			*			
220 x 25	41,33			*			
220 x 30	48,32		*				
224 x 5	9,28			*			
230 x 5	9,54		*				
230 x 10	18,66		*	*			
230 x 15	27,34		*	*			

Alüminyum Borular



BORULAR (Pipes)


Dikişli ve Dikişsiz
(Seamless and Seam Welded)

Standart (Norm)

ASME SB 241- ASME SB 210
ANSI B. 36.19 - B. 36.10
EN 573-2, 755,2-7

Boyutlar (Size) mm Çap / Kalınlık (Diameter) / (Thickness)	Ağırlık (Weight) Kg/M	Al99,5 / 99,8	AlMgSi0,5 - Si07 AA 6060/63	AlMgSi1 AA 6082	AlMg3 AA 5754	AlMg5	AlMg4,5mN AA 5083 / AA 5154
230 x 20	35,61		*	*			
230 x 30	50,87		*	*			
240 x 5	9,97		*				
240 x 10	19,50		*	*			
240 x 15	28,61		*	*			
240 x 20	37,70		*	*			
240 x 30	53,71			*			
250 x 5	10,39		*				
250 x 6	11,40		*				
250 x 8	16,42		*	*			
250 x 10	20,36		*	*			
250 x 15	29,89		*	*			
250 x 20	39,00			*			
258 x 4	8,61		*				
260 x 5	10,81		*				
260 x 10	21,20		*	*			
260 x 12	25,23		*				
265 x 30,5	60,64		*				
273 x 3,40 Sched5	7,83						*
273 x 3,76 Sched10	9,81						*
273 x 6,35 Sched20	14,42						*
273 x 7,80 Sched30	17,62						*
273 x 9,27 Sched40	20,84						*
273 x 15 Sched80 C	33,11						*
280 x 7	16,20	*					
280 x 10	21,20		*	*			
280 x 30	63,58		*				
300 x 10	24,59		*	*			
300 x 16	38,53		*				
303 x 12	29,61		*				
303 x 18	43,49			*			
310 x 20	49,17		*				
320 x 10	26,28		*				
323,85 x 3,96 Sched5	10,82						*
323,85 x 4,57 Sched10	12,44						*
323,85 x 6,35 Sched20	17,17						*
323,85 x 8,38 Sched30	22,53						*

Alüminyum Borular



BORULAR (Pipes)

Dikişli ve Dikişsiz
(Seamless and Seam Welded)

Standart (Norm)

ASME SB 241- ASME SB 210
ANSI B. 36.19 - B. 36.10
EN 573-2, 755,2-7

Boyutlar (Size) mm Çap / Kalınlık (Diameter) / (Thickness)	Ağırlık (Weigth) Kg/M	Al99,5 / 99,8	AlMgSi0,5 - Si07 AA 6060/63	AlMgSi1 AA 6082	AlMg3 AA 5754	AlMg5	AlMg4,5mn AA 5083 / AA 5154
323,85 x 9,53 Sched40	25,51						*
323,85 x 10,31 Sched40	27,56						*
323,85 x 17,45 Sched80 C	45,57						*
328 x 4	7,84		*				
355,60 x 3,96 Sched5	11,85						*
355,60 X 4,78 Sched10	14,28						*
355,60 x 6,35 Sched10	18,86						*
355,60 x 7,92 Sched20	23,45						*
355,60 x 9,53 Sched30	28,03						*
355,60 x 11,13 Sched40	32,58						*
355,60 x 19,05 Sched80 C	54,50						*
350 x 10	28,83		*	*			
355 x 25,5	73,40		*				
380 x 10	31,37			*			
400 x 16	52,09		*				
406,40 x 4,19 Sched5	14,35						*
406,40 x 4,78 Sched10	16,35						*
406,40 x 6,35 Sched10	21,60						*
406,40 x 7,92 Sched20	26,88						*
406,40 x 9,53 Sched30	31,14						*
406,40 x 12,70 Sched40	42,50						*
406,40 x 21,41 Sched80	70,06						*
457,20 x 4,19 Sched5	16,17						*
457,20 x 4,78 Sched10	18,42						*
457,20 x 6,35 Sched10	24,34						*
457,20 x 7,92 Sched20	30,30						*
457,20 x 11,13 Sched30	42,19						*
457,20 x 9,53 Sched40	36,33						*
457,20 x 14,27 Sched40	53,75						*
457,20 x 23,80 Sched80C	87,68						*



Sanayi Mah. D-130 Karayolu
Cad. No: 9 **İzmit/KOCAELİ**



Tel : +90 262 335 52 55
Fax: +90 262 335 06 69



info@**bmes**.com.tr
www.**bmes**.com.tr